Neuroscience Letters, 86 (1988) 366–370
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abercrombie, E.D., Levine, E.S. and Jacobs, B.L., Microinjected morphine suppresses the activity of locus coeruleus noradrenergic neurons in freely moving cats, 334
Adem, A., see Nordberg, A., 317
Akaike, N., see Behrends, J.C., 311
Akasu, T., see Nishimura, T., 306
Åkerman, E.O., see Jalonen, T., 99
Allan, R.D., see Dickenson, H.W., 351
Antonopoulos, J., see Dinopoulos, A., 127

Barnabei, O., see Villani, L., 167
Barnard, E.A., see Tsim, K.W.K., 245
Beal, J.A., Russell, C.T. and Knight, D.S., Morphological and developmental characterization of local-circuit neurons in lamina III of the rat spinal cord, 1
Bédard, P.J., see Falardeau, P., 225
Behrends, J.C., Maruyama, T., Tokutomi, N. and Akaike, N., Ca^{2+}-mediated suppression of the GABA-response through modulation of chloride channel gating in frog sensory neurones, 311
Benassi, C., see Porro, C.A., 89
Berge, O.-G., Garcia-Cabrera, I. and Hole, K., Response latencies in the tail-flick test depend on tail skin temperature, 284
Berger, R.J., Palca, J.W., Walker, J.M. and Phillips, N.H., Correlations between body temperatures, metabolic rate and slow wave sleep in humans, 230
Berlove, D., see Knigge, K.M., 269
Biggio, G., see Corda, M.G., 219
Biral, G.P., see Porro, C.A., 89
Bisserbe, J.-C., see Deckert, J., 121
Bissoli, R., see Villani, L., 167
Briggs, R., see Cowburn, R., 109
Brown, J.C., see Villar, M.J., 114
Buisseret-Delmas, C., see Viala, D., 139
Burcher, E. and Chahl, L.A., Tools for tachykinin and neuropeptide research: a conference report, 38

Cadete-Leite, A., Tavares, M.A. and Paula-Barbosa, M.M., Alcohol withdrawal does not impede hippocampal granule cell progressive loss in chronic alcohol-fed rats, 45
Cameron, A.A., see Plenderleith, M.B., 257
Carlen, P.L., see Wu, P.H., 72
Cei de Job, C. and Suburo, A.M., Effects of *p*-bromophenacyl bromide on neurite growth at different levels of nerve growth factor, 356
Chahl, L.A., see Burcher, E., 38
Changeux, J.-P., see Villar, M.J., 114
Chapman, J., Sela, B.-A., Wertman, E. and Michaelson, D.M., Antibodies to ganglioside GM_1 in patients with Alzheimer's disease, 235
Chase, M.H., see Morales, F.R., 289
Cookman, G.R., Hemmens, S.E., Keane, G.J., King, W.B. and Regan, C.M., Chronic low level lead exposure precociously induces rat glial development in vitro and in vivo, 33
Corda, M.G., Giorgi, O., Longoni, B. and Biggio, G., Decreased sensitivity to diazepam induced by chronic administration of FG 7142, 219
Cotman, C.W., see Nieto-Sampedro, M., 361
Cowburn, R., Hardy, J., Roberts, P. and Briggs, R., Presynaptic and postsynaptic glutamatergic function in Alzheimer's disease, 109
Crewther, D.P., Nelson, J.E. and Crewther, S.G., Afferent input for target survival in marsupial visual development, 147
Crewther, S.G., see Crewther, D.P., 147

Daly, J.W., see Deckert, J., 121
Date, I., Kawamura, K., Nakashima, H., Ono, K. and Nishimoto, A., Intraparenchymal allografts in the mouse brain in relation to immunocytochemical identification of T lymphocyte subsets, 17
Davous, P., see Lamour, Y., 241
Dawson, R., Jr. and Meldrum, M.J., Increased 3,4-dihydroxyphenylacetic acid (DOPAC) levels in spontaneously hypertensive rats (SHR) during the development of hypertension, 346
Deckert, J., Morgan, P.F., Bisserbe, J.-C., Jacobson, K.A., Kirk, K.L., Daly, J.W. and Marangos, P.J., Autoradiographic localization of mouse brain adenosine receptors with an antagonist ([^{3}H]xanthine amine congener) ligand probe, 121
Dickenson, H.W., Allan, R.D., Ong, J. and Johnston, G.A.R., $GABA_B$ receptor antagonist and $GABA_A$ receptor agonist properties of a δ-ami-

Neuroscience Letters, 86 (1988) 366–370
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abercrombie, E.D., Levine, E.S. and Jacobs, B.L., Microinjected morphine suppresses the activity of locus coeruleus noradrenergic neurons in freely moving cats, 334
Adem, A., see Nordberg, A., 317
Akaike, N., see Behrends, J.C., 311
Akasu, T., see Nishimura, T., 306
Åkerman, E.O., see Jalonen, T., 99
Allan, R.D., see Dickenson, H.W., 351
Antonopoulos, J., see Dinopoulos, A., 127

Barnabei, O., see Villani, L., 167
Barnard, E.A., see Tsim, K.W.K., 245
Beal, J.A., Russell, C.T. and Knight, D.S., Morphological and developmental characterization of local-circuit neurons in lamina III of the rat spinal cord, 1
Bédard, P.J., see Falardeau, P., 225
Behrends, J.C., Maruyama, T., Tokutomi, N. and Akaike, N., Ca^{2+}-mediated suppression of the GABA-response through modulation of chloride channel gating in frog sensory neurones, 311
Benassi, C., see Porro, C.A., 89
Berge, O.-G., Garcia-Cabrera, I. and Hole, K., Response latencies in the tail-flick test depend on tail skin temperature, 284
Berger, R.J., Palca, J.W., Walker, J.M. and Phillips, N.H., Correlations between body temperatures, metabolic rate and slow wave sleep in humans, 230
Berlove, D., see Knigge, K.M., 269
Biggio, G., see Corda, M.G., 219
Biral, G.P., see Porro, C.A., 89
Bisserbe, J.-C., see Deckert, J., 121
Bissoli, R., see Villani, L., 167
Briggs, R., see Cowburn, R., 109
Brown, J.C., see Villar, M.J., 114
Buisseret-Delmas, C., see Viala, D., 139
Burcher, E. and Chahl, L.A., Tools for tachykinin and neuropeptide research: a conference report, 38

Cadete-Leite, A., Tavares, M.A. and Paula-Barbosa, M.M., Alcohol withdrawal does not impede hippocampal granule cell progressive loss in chronic alcohol-fed rats, 45
Cameron, A.A., see Plenderleith, M.B., 257
Carlen, P.L., see Wu, P.H., 72
Cei de Job, C. and Suburo, A.M., Effects of *p*-bromophenacyl bromide on neurite growth at different levels of nerve growth factor, 356
Chahl, L.A., see Burcher, E., 38
Changeux, J.-P., see Villar, M.J., 114
Chapman, J., Sela, B.-A., Wertman, E. and Michaelson, D.M., Antibodies to ganglioside GM_1 in patients with Alzheimer's disease, 235
Chase, M.H., see Morales, F.R., 289
Cookman, G.R., Hemmens, S.E., Keane, G.J., King, W.B. and Regan, C.M., Chronic low level lead exposure precociously induces rat glial development in vitro and in vivo, 33
Corda, M.G., Giorgi, O., Longoni, B. and Biggio, G., Decreased sensitivity to diazepam induced by chronic administration of FG 7142, 219
Cotman, C.W., see Nieto-Sampedro, M., 361
Cowburn, R., Hardy, J., Roberts, P. and Briggs, R., Presynaptic and postsynaptic glutamatergic function in Alzheimer's disease, 109
Crewther, D.P., Nelson, J.E. and Crewther, S.G., Afferent input for target survival in marsupial visual development, 147
Crewther, S.G., see Crewther, D.P., 147

Daly, J.W., see Deckert, J., 121
Date, I., Kawamura, K., Nakashima, H., Ono, K. and Nishimoto, A., Intraparenchymal allografts in the mouse brain in relation to immunocytochemical identification of T lymphocyte subsets, 17
Davous, P., see Lamour, Y., 241
Dawson, R., Jr. and Meldrum, M.J., Increased 3,4-dihydroxyphenylacetic acid (DOPAC) levels in spontaneously hypertensive rats (SHR) during the development of hypertension, 346
Deckert, J., Morgan, P.F., Bisserbe, J.-C., Jacobson, K.A., Kirk, K.L., Daly, J.W. and Marangos, P.J., Autoradiographic localization of mouse brain adenosine receptors with an antagonist ([^{3}H]xanthine amine congener) ligand probe, 121
Dickenson, H.W., Allan, R.D., Ong, J. and Johnston, G.A.R., $GABA_B$ receptor antagonist and $GABA_A$ receptor agonist properties of a δ-ami-

novaleric acid derivative, *Z*-5-aminopent-2-enoic acid, 351
Dietz, M., see Meijer, J.H., 177
Dinopoulos, A., Michaloudi, H., Karamanlidis, A.N., Antonopoulos, J. and Parnavelas, J.G., Basal forebrain neurons project to the cortical mantle of the European hedgehog (*Erinaceus europaeus*), 127
Di Paolo, T., see Falardeau, P., 225

Engelhardt, J.K., see Morales, F.R., 289

Facchinetti, F., see Porro, C.A., 89
Fahrenkrug, J., see Villar, M.J., 114
Falardeau, P., Bédard, P.J. and Di Paolo, T., Relation between brain dopamine loss and D_2 dopamine receptor density in MPTP monkeys, 225
Feeser, H.R., Kadis, J.L. and Prince, D.A., Dextromethorphan, a common antitussive, reduces kindled amygdala seizures in the rat, 340
Fitzgerald, M., The development of activity evoked by fine diameter cutaneous fibres in the spinal cord of the newborn rat, 161
Fritsche, U., see Stoll, G., 27
Fuchs, K., see Sieghart, W., 213

Gallagher, J.P., see Hasuo, H., 77
Gallagher, J.P., see Twery, M.J., 82
Garcia-Cabrera, I., see Berge, O.-G., 284
Genazzani, A.R., see Porro, C.A., 89
Giorgi, O., see Corda, M.G., 219
Goldstein, M., see Lewis, D.A., 11
Gonzalez-Mora, J.L., Sanchez-Bruno, J.A. and Mas, M., Concurrent on-line analysis of striatal ascorbate, dopamine and dihydroxyphenylacetic acid concentrations by in vivo voltammetry, 61
Gopalakrishnakone, P., see Tan, C.K., 251
Gurevich, N., see Wu, P.H., 72
Gustafsson, L.E., see Samuelson, U.E., 51

Hardy, J., see Cowburn, R., 109
Hardy, J., see Nordberg, A., 317
Hasuo, H. and Gallagher, J.P., Comparison of antagonism by phaclofen of baclofen induced hyperpolarizations and synaptically mediated late hyperpolarizing potentials recorded intracellularly from rat dorsolateral septal neurons, 77
Hemmens, S.E., see Cookman, G.R., 33
Hicklin, D.J., see Nieto-Sampedro, M., 361
Hill, R.G., see Sharif, N.A., 272
Hill, R.G., see Sharif, N.A., 279
Hökfelt, T., see Villar, M.J., 114
Hole, K., see Berge, O.-G., 284
Huchet, M., see Villar, M.J., 114
Hughes, J., see Sharif, N.A., 272
Hughes, J., see Sharif, N.A., 279
Hunter, J.C., see Sharif, N.A., 272
Hunter, J.C., see Sharif, N.A., 279
Hunziker, W., see Séquier, J.-M., 155

Jacobs, B.L., see Abercrombie, E.D., 334
Jacobson, K.A., see Deckert, J., 121
Jalonen, T. and Åkerman, E.O., Single transient potassium channels in human neuroblastoma cells induced to differentiate in vitro, 99
Jöels, M., see Twery, M.J., 82
Johnston, G.A.R., see Dickenson, H.W., 351
Jolkkonen, J., Tuomisto, L., Van Wimersma Greidanus, Tj.B. and Riekkinen, P.J., Vasopressin levels in the cerebrospinal fluid of rats with lesions of the paraventricular and suprachiasmatic nuclei, 184
Jouvet, M., see Luppi, P.-H., 263
Jouvet, M., see Zhang, J.X., 94

Kadis, J.L., see Feeser, H.R., 340
Kaneko, S., see Sasaki, K., 67
Karamanlidis, A.N., see Dinopoulos, A., 127
Katafuchi, T., Oomura, Y. and Kurosawa, M., Effects of chemical stimulation of paraventricular nucleus on adrenal and renal nerve activity in rats, 195
Kawamura, K., see Date, I., 17
Keane, G.J., see Cookman, G.R., 33
Key, B., see Plenderleith, M.B., 257
King, W.B., see Cookman, G.R., 33
Kirk, K.L., see Deckert, J., 121
Kitahama, K., see Luppi, P.-H., 263
Knigge, K.M., Piekut, D.T. and Berlove, D., Immunocytochemistry of a vasopressin (AVP) receptor with anti-idiotype antibody: inhibition of staining with a peptide (PVA) encoded by an RNA that is complementary to AVP mRNA, 269
Knight, D.S., see Beal, J.A., 1
Kobayashi, H., see Mochida, S., 201
Kurosawa, M., Matsuo, Y., Ohno, H. and Sato, A., Vagal nerve contribution to the calcitonin-induced changes in intrapyloric pressure in anesthetized rats, 322
Kurosawa, M., see Katafuchi, T., 195

Lamour, Y., Scarna, H., Roudier, M., Safer, S. and Davous, P., Serum neuron-specific enolase in senile dementia of the Alzheimer type, 241
Lee, C.L., McFarland, D.J. and Wolpaw, J.R., Retrograde transport of the lectin *Phaseolus vulgaris* leucoagglutinin (PHA-L) by rat spinal motoneurons, 133
Levine, E.S., see Abercrombie, E.D., 334
Lewis, D.A., Morrison, J.H. and Goldstein, M., Brainstem dopaminergic neurons project to monkey parietal cortex, 11
Lim, R., see Nieto-Sampedro, M., 361
Longoni, B., see Corda, M.G., 219
Luppi, P.-H., Kitahama, K., Sakai, K., Sallanon, M. and Jouvet, M., Topography of neurophysin-immunoreactive neurons projecting to the neurohypophysis: direct evidence as revealed by a double staining method, 263

Marangos, P.J., see Deckert, J., 121
Martire, M., Pistritto, G. and Preziosi, P., α_2-Adrenoceptor blocking properties of idazoxan stereoisomers: stereoselectivity for presynaptic α_2-adrenoceptors, 328
Maruyama, T., see Behrends, J.C., 311
Mas, M., see Gonzalez-Mora, J.L., 61
Matsuda, M., see Mizobuchi, T., 144
Matsumura, K., see Tsai, C.L., 56
Matsuo, Y., see Kurosawa, M., 322
Matsuzaki, H., see Mizobuchi, T., 144
McFarland, D.J., see Lee, C.L., 133
McLachlan, E.M., see Meckler, R.L., 189
Meckler, R.L. and McLachlan, E.M., Axons of peripheral origin preferentially synapse with tonic neurones in the guinea pig coeliac ganglion, 189
Meijer, J.H., Van der Zee, E.A. and Dietz, M., Glutamate phase shifts circadian activity rhythms in hamsters, 177
Meldrum, M.J., see Dawson, R., Jr., 346
Michaelson, D.M., see Chapman, J., 235
Michaloudi, H., see Dinopoulos, A., 127
Mizobuchi, T., Yagi, Y., Mizuno, A., Matsuzaki, H. and Matsuda, M., Increased tubulin messenger RNA in the frog retina after optic nerve transection, 144
Mizuno, A., see Mizobuchi, T., 144
Mizuno, Y., see Suzuki, K., 105
Mochida, S. and Kobayashi, H., Protein kinase C activators mimic the M_2-muscarinic receptor-mediated effects on the action potential in isolated sympathetic neurons of rabbits, 201
Morales, F.R., Engelhardt, J.K., Pereda, A.E., Yamuy, J. and Chase, M.H., Renshaw cells are inactive during motor inhibition elicited by the pontine microinjection of carbachol, 289
Morgan, P.F., see Deckert, J., 121
Morrison, J.H., see Lewis, D.A., 11
Moss, R.L., see Twery, M.J., 82
Mukerji, S., see Walz, W., 296
Müller, H.W., see Stoll, G., 27

Nakashima, H., see Date, I., 17
Nakayama, T., see Tsai, C.L., 56
Nelson, J.E., see Crewther, D.P., 147
Nieto-Sampedro, M., Lim, R., Hicklin, D.J. and Cotman, C.W., Early release of glia maturation factor and acidic fibroblast growth factor after rat brain injury, 361
Nishimoto, A., see Date, I., 17
Nishimura, T. and Akasu, T., Propranolol blocks recurrent synaptic activation in paravertebral sympathetic ganglia of bullfrogs, 306
Nishino, H., see Sasaki, K., 67
Nishizaki, T., Yamauchi, R., Tanimoto, M. and Okada, Y., Effects of temperature on the oxygen consumption in thin slices from different brain regions, 301
Nomura, Y., see Sasaki, K., 67
Nordberg, A., Adem, A., Hardy, J. and Winblad, B., Change in nicotinic receptor subtypes in temporal cortex of Alzheimer brains, 317

Ohno, H., see Kurosawa, M., 322
Okada, Y., see Nishizaki, T., 301
Ong, J., see Dickenson, H.W., 351
Ono, K., see Date, I., 17
Ono, T., see Sasaki, K., 67
Oomura, Y., see Katafuchi, T., 195
O'Regan, P.A., see Szerb, J.C., 207
Orlowski, R.C., see Twery, M.J., 82

Palca, J.W., see Berger, R.J., 230
Parnavelas, J.G., see Dinopoulos, A., 127
Paula-Barbosa, M.M., see Cadete-Leite, A., 45
Pereda, A.E., see Morales, F.R., 289
Phillips, N.H., see Berger, R.J., 230
Piekut, D.T., see Knigge, K.M., 269
Pistritto, G., see Martire, M., 328
Plenderleith, M.B., Cameron, A.A., Key, B. and Snow, P.J., Soybean agglutinin binds to a subpopulation of primary sensory neurones in the cat, 257
Poli, A., see Villani, L., 167

Porro, C.A., Facchinetti, F., Pozzo, P., Benassi, C., Biral, G.P. and Genazzani, A.R., Tonic pain time-dependently affects β-endorphin-like immunoreactivity in the ventral periaqueductal gray matter of the rat brain, 89
Portal, J.J., see Viala, D., 139
Pozzo, P., see Porro, C.A., 89
Preziosi, P., see Martire, M., 328
Prince, D.A., see Feeser, H.R., 340

Randall, W.R., see Tsim, K.W.K., 245
Regan, C.M., see Cookman, G.R., 33
Reuss, S., see Stehle, J., 173
Richards, G., see Séquier, J.-M., 155
Riekkinen, P.J., see Jolkkonen, J., 184
Roberts, P., see Cowburn, R., 109
Rokx, J.T.M. and Van Willigen, J.D., Organization of neuronal clusters in the mesencephalic trigeminal nucleus of the rat: fluorescent tracing of temporalis and masseteric primary afferents, 21
Roudier, M., see Lamour, Y., 241
Russell, C.T., see Beal, J.A., 1

Safer, S., see Lamour, Y., 241
Sakai, K., see Luppi, P.-H., 263
Sallanon, M., see Luppi, P.-H., 263
Samuelson, U.E., Wiklund, N.P. and Gustafsson, L.E., Endogenous purines may modulate adrenergic neurotransmission in the human fallopian tube, 51
Sanchez-Bruno, J.A., see Gonzalez-Mora, J.L., 61
Sasaki, K., Suda, H., Watanabe, H., Kaneko, S., Nomura, Y., Nishino, H. and Ono, T., Habenular lesion attenuates methamphetamine-induced inhibition of dopamine neuronal activity in the substantia nigra pars compacta of rats, 67
Sato, A., see Kurosawa, M., 322
Scarna, H., see Lamour, Y., 241
Sela, B.-A., see Chapman, J., 235
Séquier, J.M., Hunziker, W. and Richards, G., Localization of calbindin D28 mRNA in rat tissues by in situ hybridization, 155
Sharif, N.A., Hunter, J.C., Hill, R.G. and Hughes, J., [^{125}I]Dynorphin(1–8) produces a similar pattern of κ-opioid receptor labelling to [^{3}H]dynorphin(1–8) and [^{3}H]etorphine in guinea pig brain: a quantitative autoradiographic study, 272
Sharif, N.A., Hunter, J.C., Hill, R.G. and Hughes, J., Bradykinin-induced accumulation of [^{3}H]inositol-1-phosphate in human embryonic pituitary tumour cells by activation of a B_2-receptor, 279
Sieghart, W. and Fuchs, K., Modification of the apparent molecular weight of different benzodiazepine binding proteins from rat brain membranes by various endoglycosidases, 213
Snow, P.J., see Plenderleith, M.B., 257
Stehle, J. and Reuss, S., The pineal gland of the Mongolian gerbil: nocturnal increase of electrical activity, 173
Stoll, G., Fritsche, U., Witzemann, V. and Müller, H.W., Antibodies to calcium/phospholipid binding protein (calelectrin) recognize neurons, astrocytes and Schwann cells in the nervous system of rat, 27
Suburo, A.M., see Cei de Job, C., 356
Suda, H., see Sasaki, K., 67
Suzuki, K., Mizuno, Y. and Yoshida, M., Inhibition of mitochondrial NADH–ubiquinone oxidoreductase activity and ATP synthesis by tetrahydroisoquinoline, 105
Szerb, J.C. and O'Regan, P.A., Increase in the stimulation-induced overflow of excitatory amino acids from hippocampal slices: interaction between low glucose concentration and fluoroacetate, 207

Tan, C.K. and Gopalakrishnakone, P., Infrared sensory neurons in the trigeminal ganglia of the python (*Python reticulatus*) – a horseradish peroxidase study, 251
Tanimoto, M., see Nishizaki, T., 301
Tavares, M.A., see Cadete-Leite, A., 45
Tokutomi, N., see Behrends, J.C., 311
Tsai, C.L., Matsumura, K. and Nakayama, T., Effects of progesterone on thermosensitive neurons in preoptic slice preparations, 56
Tsim, K.W.K., Randall, W.R. and Barnard, E.A., Identification of a 17 S asymmetric butyrylcholinesterase in chick musle by monoclonal antibodies, 245
Tuomisto, L., see Jolkkonen, J., 184
Twery, M.J., Joëls, M., Gallagher, J.P., Orlowski, R.C. and Moss, R.L., Neuronal membrane sensitivity to a salmon calcitonin analogue with negligible ability to lower serum calcium, 82

Valatx, J.-L., see Zhang, J.X., 94
Van Willigen, J.D., see Rokx, J.T.M., 21
Van Wimersma Greidanus, Tj.B., see Jolkkonen, J., 184
Van der Zee, E.A., see Meijer, J.H., 177
Viala, D., Buisseret-Delmas, C. and Portal, J.J., An attempt to localize the lumbar locomotor

generator in the rabbit using 2-deoxy-[^{14}C]glucose autoradiography, 139
Villani, L., Poli, A., Bissoli, R. and Barnabei, O., Neurotoxic effect of 1-methyl-4-phenylpyridinium ion on dopaminergic neurons of the retina of goldfish, 167
Villar, M.J., Huchet, M., Hökfelt, T., Changeux, J.-P., Fahrenkrug, J. and Brown, J.C., Existence and coexistence of calcitonin gene-related peptide, vasoactive intestinal polypeptide- and somatostatin-like immunoreactivities in spinal cord motoneurons of developing embryos and post-hatch chicks, 114

Walker, J.M., see Berger, R.J., 230
Walz, W. and Mukerji, S., Lactate production and release in cultured astrocytes, 296
Watanabe, H., see Sasaki, K., 67
Wertman, E., see Chapman, J., 235
Wiklund, N.P., see Samuelson, U.E., 51
Winblad, B., see Nordberg, A., 317
Witzemann, V., see Stoll, G., 27
Wolpaw, J.R., see Lee, C.L., 133
Wu, P.H., Gurevich, N. and Carlen, P.L., Serotonin-1A receptor activation in hippocampal CA1 neurons by 8-hydroxy-2-(di-*n*-propylamino)tetralin, 5-methoxytryptamine and 5-hydroxytryptamine, 72
Wullimann, M.F., The tertiary gustatory center in sunfishes is not nucleus glomerulosus, 6

Yagi, Y., see Mizobuchi, T., 144
Yamauchi, R., see Nishizaki, T., 301
Yamuy, J., see Morales, F.R., 289
Yoshida, M., see Suzuki, K., 105

Zhang, J.X., Valatx, J.-L. and Jouvet, M., Hypophysectomy in monosodium glutamate-pretreated rats suppresses paradoxical sleep rebound, 94